

Clayscapes Pottery, Inc. 1003 West Fayette St.

Syracuse, NY 13204

### **SAFETY DATA SHEET**

## **Section 1: Identification**

Name, address, telephone number and emergency telephone number of manufacturer:

Clayscapes Pottery, Inc

1003 West Fayette Street

Syracuse, NY 13204

Telephone/Emergency Telephone: 315-424-6868

Product Identification: Ceramic Glazes

Recommended Use of Product: Glazing of ceramic ware

Cream	GCP1	Shadow Blue	GCP25
Coastal Blue	GCP2	Wheat	GCP26
Albany Gold	GCP3	Frosted Mint	GCP27
Garden Green	GCP4	Pacific Blue	GCP28
Aqua	GCP5	Smokey Purple	GCP29
Starry Night	GCP7	Pitch Black	GCP30
Spruce Blue	GCP8	Clinton Pottery Red	GCP31
Flame	GCP9	Lake Effect White	GCP32
Ron's Red	GCP10	Desert Sand	GCP33
Brick	GCP11	Flatbush	GCP34
Red Wood	GCP12	Crown Heights	GCP35
Ron's Clear	GCP13	Greenpoint	GCP36
Royal Purple	GCP14	Coney Island	GCP37
Turquoise Rain	GCP15	Sunset Park	GCP38
Royal Blue	GCP16	Brighton Beach	GCP39
Tim's Dark Celadon	GCP17	Park Slope	GCP40
Arctic Blue	GCP19	Red Hook	GCP41
Satin Black	GCP20	Bushwick	GCP42
Copper Patina	GCP21	Butter	GCP43
Amber Celadon	GCP22	Bright White	GCP44
Fog Gray	GCP23	Aurora	GCP45
Crystal Clear	GCP24	Nebula	GCP46





Jess's Chun Blue	GCP47	Lake Blue	GCP50
Spearmint	GCP48	Oribe	GCP51
Cobblestone	GCP49	Cranberry	GCP52

### **Section 2: HAZARDS IDENTIFICATION**

Contains Crystalline Silica

Classification:

Eye Damage/Irritation Category 2 Skin

Corrosion/Irritation Category 2Specific Target Organ

Toxicity - Single Exposure Category 3 - Respiratory Specific

TargetOrgan

Toxicity/Repeated Exposure Category 1 - Respiratory

Carcinogenicity Category 1a

Label Elements: Signal Word: DANGER



Hazard Statement(s): H372: Causes damage to lungs through prolonged or repeated exposure via inhalation

Precautionary Statement(s): P260: Do not breathe dust.

P285: Always wear respiratory protection.

P501: Dispose of contents/containers in accordance with local regulation.

# **Section 3: COMPOSTION/INFORMATION ON INGREDIENTS**

INGREDIENTS	CAS NUMBER	% OF FORMULA
Silica (Quartz)	14808-60-7	1%-3%



	4247.65.2	20/ 20/
Calcium Carbonate	1317-65-3	0%-3%
Frit (lead free)	65997-18-4	21%-55%
Various Pigments	Confidential	Varies
Kaolin/Clay	1332-58-7	2%-7%
Zinc Oxide	1314-13-2	0%-1%
Nepheline Syenite/Feldspars	37244-96-5	0%-13%
Zirconium Silicate (Zr Si O4)	10101-57-7	0%-7%
Bentonite	1302-78-9	0%-2%
Bone Ash	7758-23-8	0%-10%
Gillespie Borate (Gerstley Sub)	12007-56-6	0%-20%
Lithium Carbonate	554-13-2	0%-15%
Spodumene,Chemical(2%	1302-66-5	0%-25%
iron)		
Tin Oxide	18282-10-5	0%-8%
Titanium Dioxide	13464-67-7	0%-10%
Wollastonite	13983-17-0	0%-20%

### **Section 4: FIRST AID MEASURES**

#### **DESCRIPTION OF FIRST-AID MEASURES**

Ingestion: Contact a physician immediately

Inhalation: May cause irritation; remove from exposure

Skin Contact: May cause irritation; rinse skin with soap and water

Eye Contact: May cause irritation; flush eyes with water for at least 15 minutes. If


irritation continues, contact a physician.

### **Section 5: FIRE FIGHTING MEASURES**

#### **EXTINGUISHING MEDIA**

Suitable extinguishing media: None

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS





Protective equipment for firefighters: None

Special firefighting procedures: None

### **Section 6: ACCIDENTAL RELEASE MEASURES**

Personal Precautions, Protective Equipment, and/or Emergency Procedures: None

**Environmental Precautions: None** 

Methods and Materials for Containment and Clean Up: None

Special Spill Response Procedures: None

#### **Section 7: HANDLING AND STORAGE**

Precautions for Safe Handling and Use: Local Exhaust Ventilation when spraying

Conditions for Safe Storage: None

Incompatible Materials: None

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

INGREDIENTS	OSHA PEL	ACGIH TLV
Silica (Si O2)	30mg/m3	0.025mg/m3
Calcium Carbonate	15mg/m3	N/A
Frit	N/A	N/A
Various Pigments	N/A	N/A
Kaolin/Clay	N/A	N/A
Zinc Oxide	15mg/m3	2mg/m3
Nepheline Syenite/Feldspars	N/A	N/A
Zirconium Silicate	N/A	N/A
Bentonite	30mg/m2	0.1mg/m3
Bone Ash	N/A	N/A
Gillespie Borate	15mg/m3	5mg/m3
Lithium Carbonate	15mg/m3	N/A
Spodumene, Chemical (2%	N/A	N/A
iron)		
Tin Oxide	2.0mg/m3	N/A



Titanium Dioxide	10mg/m3	10mg/m3
Wollastonite	10mg/m3	0.025mg/m3

### **EXPOSURE CONTROLS**

Ventilation and engineering measures: Adequate Ventilation (local exhaust) when spraying.

Respiratory protection: Use a NIOSH approved respirator when spraying.

Skin protection: Wear appropriate protective clothing such as, overalls, smocks, and aprons.

Eye/face protection: Wear safety glasses to keep dust out of eyes.

Hygienic Practices: Food, beverages, and smoking materials should not be in work area.

Employees should wash hands thoroughly before eating, drinking, or smoking.

## **Section 9: PHYSICAL/CHEMICAL PROPERTIES**

Appearance (physical state, color, etc.):	Colored or clear liquids
Upper/lower flammability or explosive limits:	None
Odor:	None
Vapor pressure:	N/A
Odor threshold :	Negligible
Vapor density:	N/A
pH:	N/A
Relative density:	N/A
Freezing point:	32 degrees Fahrenheit
Solubility(ies)	N/A
Initial boiling point and boiling range:	N/A
Flash Point:	N/A



Clayscapes Pottery, Inc. 1003 West Fayette St.

Syracuse, NY 13204

Evaporation rate: N/A

Flammability (solid gas): N/A

Partition coefficient: n-octanol/water: None

Auto-ignition temperature: N/A

Decomposition temperature: None

Viscosity: N/A

# Section 10: Stability/Reactivity

Reactivity: N/A

Chemical stability: Stable

Possibility of hazardous reactions: None

Conditions to avoid: Fumes from firing in the kiln; Mist created from

applying spray

Incompatible materials: None

Hazardous decomposition products: N/A

#### **Section 11: TOXICOLGICAL INFORMATION**

#### INFORMATION ON LIKELY ROUTES OF EXPOSURE

Routes of Entry: Inhalation is the most important during dispensing and mixing of dry products or excessive handling of unfired glazed materials during spraying.

POTENTIAL HEALTH EFFECTS, Signs and symptoms of short-term (acute) exposure:

Sign and symptoms inhalation: Coughing or irritation may occur.

Sign and symptoms ingestion: Sickness or irritation may occur.

Sign and symptoms skin: Redness or irritation may occur.

Sign and symptoms eyes: Redness or irritation may occur.



Clayscapes Pottery, Inc. 1003 West Fayette St.

Syracuse, NY 13204

Potential chronic health effects: These mixtures contain silica, which can cause Silicosis through inhalation over an extended period of time. Overexposure to silica may also result in injury to the lungs.

Carcinogenicity: Cobalt is considered an animal carcinogen. Silica (quartz) is a human carcinogen.

Additional Information: The water-based, premixed products and the dry mix products, when mixed with water, should be non-toxic during recommended use.

Pigments are various metals and compound metals; these may contain aluminum, chromium (III) vanadium, cobalt, copper, iron, manganese, praseodymium, selenium, tin, zinc, and zirconium. The risk of exposure to these metals is minimal due to low percentages used in glazed formulas. Dermal exposure is negligible since some of the metals used have poor dermal absorption. Inhalation exposure increases with the use of dry mix products.

Frits are fused silica glass like substances. Bioavailability is limited because of the physical appearance of the frit.

Toxicological data: These products conform to ASTM-4236 and have been certified by an independent, 3rd party toxicologist to be NON-TOXIC.

### Section 12: ECOLOGICAL INFORMATION (non-mandatory)

Eco toxicity: None

Persistence and degradability: Yes

Bioaccumulation potential: No

Mobility in soil: No

Other adverse environmental effects: None

### Section 13: DISPOSAL CONSIDERATIONS (non-mandatory)

Handling for Disposal: None

Methods of Disposal: None



# Section 14: TRANSPORT INFORMATION (non-mandatory)

UN Shipping Name: N/A

UN Number: None

Environmental Hazard: None

Packing Group: None

Transportation Hazard Class: N/A

Special Precautions: None

NOT DANGEROUS FOR TRANSPORT

### Section 15: REGULATORY INFORMATION (non-mandatory)

Silica (Quartz) and Cobalt are both listed by California, Proposition 65, as a carcinogen.

Silica (Quartz) and Cobalt are listed on the IARC, OSHA, and NTP carcinogen list.

All ingredients are on U.S. TSCA Inventory.

All products listed in this SDS conform to ASTM-4236 standards. Materials have been evaluated under the provisions of Labeling of Hazardous Art Material Act. These products have been listed as non-toxic and nonflammable under proposed use conditions. No specific warning is required.

#### **Section 16: OTHER INFORMATION**

This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best of knowledge of Clayscapes Pottery, Inc. or obtained from other references and sources believed to be accurate. Clayscapes Pottery Inc. does not assume any legal responsibility for use or reliance on our products. Customers are encouraged to conduct their own tests before using any product. Read all product labels prior to handling.



Preparation Date: October 8, 2020